Transmuting Iron into Gold

Army Worldwide Environmental and Energy Conference 2000



al-che-my

- al-che-my (noun)
- A medieval chemical philosophy having as its asserted aims the transmutation of base metals into gold, the discovery of the panacea, and the preparation of the elixir of longevity.

DOD is uniquely positioned to profit from DG

- DOD can deliver its generators as a block
- DOD is connected at the transmission level

DOD can meet international standards in...

- Environment
- Interconnect
- Export
- QOS

...not arbitrary local standards

DOD has world class experience in networks

Questions and Answers

- What is Distributed Generation (DG)?
- How should DOD participate?
- What is a fair expectation of value?
- Will DOD standby power be better or worse?
- What new capabilities will be realized?
- Are their any environmental concerns? Advantages? Solutions?
- What if the generator supports a "no-break" facility

Convergence Network Distributed Resources


Sophistication of Distributed Intelligent Devices

the INTERNET cost of info drops

Moore's Law (Information capability doubles every 18 months

Changing Customer Behavior (Outsourcing)





- Resulting in the customer demanding:
 - Optimal suites of result based energy solutions
 - Collection and translation of real time data to business metrics for improved operations
 - Branding of the bundle results not the discrete services or technology

Network
Distributed
Resources
(e.g.Gen Sets,
HVAC, DSM)


To understand the opportunity you first have to understand

ENERGY'S ... total cost

- + fuel
- generation
- + environmental
- capacity
- + transmission
- distribution
- + loss

---- Service Entrance

- + physical plant
- + DSM
- + risk
- + heat



The Changing Electric Utility Paradigm

SUPPLY

\$ per unit of energy




DEMAND

energy per unit of production

The evolving ENERGY industry?


...the emerging EMCO



- UTILITY sells power to customers
- GENCO sells bulk power to PX
- DR emerges serving supply side
 capacity bulk power ancillary services
- DR expands towards customer's side
 QOS risk DSM efficiency consumption
- EMCO Energy Management Company
 - differentiates from Power Broker
 - value added energy "SERVICES"
 - · marginal value of energy vs commodity cost
 - capture DR locational values of customer
 - manages customer's energy risk
 - QOS = productivity & yield
 - · energy bulk commodity cost
 - manage customer's interaction with DISCO
 - real vs apparent power
 - harmonics
 - DSM
 - information
 - Distributed Resources
- EMCO's will manage all energy sourcing, operation, quality and many of the Customer's energy capital equipment purchases

Change in the ENERGY industry?

...the PowerPortal



- Mass Customization giving each customer the unique services he wants in a competitive market will be the significant differentiator in the Deregulated market, not the lowest cost per kW
- Communication and information flow will be the enabler that makes Mass energy Customization possible.


Questions

- Will high bandwidth become so low cost that anything can be wired directly to it or will low bandwidth require aggregation before connecting to high?
- Will a DISCO's right of way have value as the aggregator of low bandwidth or will wireless, telco, broadband prevail?

PowerPortal


- **CUSTOMER** the logical aggregator of energy information
 - can also be used for status monitoring and alarm and as a push channel for community info like the French MiniTel system
 - It is the logical manager for Distributed Resources, as well as all AMR.
 - A new business opportunity for EMCOs

The "Gap"



Information Flow....

...the essential ingredient for creation of Added Value





Industrial Customers

Commercial Customers w/Gen Sets, and modest reliability sophistication.



Dashboard Portal Provides platform for community of like customers

Customers



"suppliers value eye balls"

\$\$ (Annuity)

- "Gold Service" subscription
- Dashboard
- Maintenance (gen set)
- **Energy Supply services**

Infrastructure (Delivery Platform) real-time monitoring & control

PowerPortal



Commercial Customers w/Gen Sets, and modest reliability sophistication.

EMCO

\$\$ (Opportunistic)

\$\$ (Future Value)

Transaction fees with suppliers

"Portal Real-Estate" fees



Risk Management Business Performance Measures

Dashboard Application used by **Customers**


Management Dashboard



Supply Deals Access to DR Peak Shave Deals

Large Variation in Electricity Costs Today

Wide Variation in Demand, Some Plants Used <200 Hours/Year



Deaveraged Pricing Will Encourage Customers to Find Other Ways to Meet Their Needs During Peak Periods

Benefits of Peak Sharing

CUSTOMERS

- Utility customers save on electricity costs by turning idle standby generators into revenueproducing assets (through real-time, time-of-use, or interruptible rates)
- Standby generators are tested under real-life conditions with "blipless" power transfers
- Generators run for less than 150 hours per year to "generate" BIG SAVINGS!

UTILITIES

- Dispatchable peak demand reduction
- Maximum use of standby capacity through safe parallel operation with the utility grid
- Cost-effective solution
- Improved system load factor/grid stability
- Improved customer relations



Third Party (EMCO):

- contracts with customer for energy supply, lower energy costs QOS.
- sites power generation at customer
 - used for emergency
 - used for "reserve generation capacity"
 - used for power sale to grid to highest bidder

Why a third party makes sense.

Two Revenue Streams Created:
One From User/Customer
Another From Power Marketers


Limitations of Peak Sharing Programs Currently in Place

- Manual Operation low reliability / load disruption
- No real data feedback to Utility tracking of customer genset usage, billing & crediting is hard to understand, safety concerns
- Open Transition "break before make" is hard on customer and utility equipment
- Lack of automation
- Funded Utility DSM Programs under review (short term?)
- Complex Sale:
 - High Capital Cost/Budget Constraints
 - Disruption To Service
 - Non-Friendly Utilities (Interconnect Difficult/Expensive)

If it's so attractive, why isn't it being done today? Where's the demand? What dynamic has changed to create demand? None...Yet!


Fast Forward: EMCO's will create demand - knowledgeable users

National Interconnect Standard will be created Utilities will become see opportunity for profit.




Value of Capacity -- Generation Represents 62% of Utility "Value Chain"

UTILITY REVENUE GENERATION BY SERVICE TYPE
TOTAL VALUE: \$200 BILLION



Networked Distributed Resources



...this path continually grows with the addition of new Technologies and new Services for both the Utility and end customer

DG Applications & Locational Value


APPLICATIONS


- Prime Power
- Small Power Plants (SPP)
- Standby/Emergency
- Load Management
- Individual & Fleet Rental/Leasing

LOCATIONAL VALUE

- Networked Distributed Resource Facility (NDR)
- Combine Heat/ Power (CHP)
- Power Quality (PQ)
- Flexibility to match varying loads at different locations
- User Outsourcing
- Ancillary Services

Power System Value Chain





How big is the pie?

- 12,500 TWh of electricity per year
- >\$3T revenue
- \$350B in USA
- \$1.4T of generating assets
- \$270B of new G+T+D assets per year
- US QOS loses >\$ 50B per year due to power related events
- World QOS loses >\$240B per year due to power related events

Networked Distributed Resources (NDR) can...

- meet or exceed all current DOD needs for standby generation
- ✓ have a higher system availability than current
- improve DOD's FEMA support
- translatable to the battlefield one shell will not knock down the grid
- be used by civil administration will return power to administered areas more quickly than conventional
- ✓ report to ACOE (Army Common Operating Environment)
- ✓ improve DOD's energy/environment position
- ✓ lower base housekeeping O&M costs
- improve Distribution System load factor
- conform to current DOD housekeeping practices while interfacing with the Utility grid